CSE-C3400 Information security Examination 2015-10-22 Lecturer: Tuomas Aura

No electronic equipment or reference material is allowed in the examination.

1. Access control

The family Linux computer has five users: the parents Alice and Bob, and the children Carol, David and Emil. Alice is the system administrator. She has set up user groups for the parents and children. Here is the output of the ls -l command on some folder on the computer:

-rw-r	1	alice	parents	22136	21	Jun	05:06	abc.doc
-rw-r	1	bob	children	5408	26	Mar	2013	jokes.txt
-rw-r	1	david	children	71224238	10	Jul	20:52	party.mpeg
-rwr	1	carol	children	1943593	14	Aug	10:11	selfie.jpg
-rr	1	bob	parents	1022	18	Aug	12:55	test.txt

Problem:

- (a) Show the protection state for the above objects in the form of <u>access control lists</u> where the subjects are the individual users.
- (b) How can David prevent little Emil from watching the movie from his party, without making other changes?

2. Encrypted storage

Consider disk encryption solutions that do not require user interaction or input during a reboot, for example, after a security update or power outage. Compare such solutions based on (a) encryption built into the disk drive hardware or firmware, (b) solution where the master key is sealed by a TPM, and (c) purely software-based solution. In your answer, explain briefly the threats and attack scenarios that are significant for the comparison. You can base your answer on BitLocker.

3. User authentication

Our immensely popular *potplant* service has <u>one million users</u>, who have to select <u>12-character</u> passwords. The character set for the passwords is the following:

abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-+

The service stores the passwords in a database as hash values. The hash function is SHA-256, which is computed on the concatenation of string "potplant" and the password and then truncated to 16 bytes:

hash = leftmostbytes(SHA-256 ("potplant" | password), 16)

The attacker has obtained the user and password database with an SQL injection attack and mounts a <u>brute-force</u> attack on the hashes. The attacker is using an array of top-end GPUs, which each can compute 1000 million (10⁹) SHA-256 hashes per second. The price of a GPU day is approximately \$1 including the hardware, electricity and other costs. Based on this information, how much does it cost to crack:

Please turn the paper for the remaining parts of the examination.

- (a) the password of the user alice,
- (b) the password of at least one user,
- (c) all the passwords?

Later, we decide to improve the password hash function by adding the username to the hash input and by saving the full 32-byte hash values, and we require all users to log in once so that the hashes can be upgraded to the new version.

hash = SHA-256 ("potplant" | username | password)

(d) How does the cost of the attack change for cases (a)–(c) as the result of this improvement?

Since you do not have a pocket calculator, a rough estimate is ok. However, please write down the intermediate steps of the calculation. (1 day = 86 400 s)

4. Identity management

The picture below shows the message flow in OpenId Connect:



Answer the following questions:

- (a) How would the security be affected if TLS were not used for the connection between User and OP?
- (b) How would the security be affected if TLS were not used for the connection between User to RP?
- (c) How would the security be affected if the ID Token did not contain an RP identifier (the "audience" information)?
- (d) How does the meaning of "open" in OpenId Connect compare with the earlier versions of OpenId?

5. X.509 PKI

The certificate chain below (see the third page) was received by a web browser from gmail. It has been prettyprinted with the *openssl* tool. <u>Explain in detail how the web browser checks the certificate chain and how it is</u> <u>used to authenticate the web site in SSL or TLS.</u> Please refer to the specific certificate fields in your answer. For clarity, refer to the three certificates as C1, C2 and C3. (Note: You do not need to write out the messages of the SSL/TLS handshake.)

Certificate C1:

Data: Version: 3 (0x2) Serial Number: 5034357460863282341 (0x45dda16fff17eca5) Signature Algorithm: sha256WithRSAEncryption Issuer: C=US, O=Google Inc, CN=Google Internet Authority G2 Validity Valiaity Not Before: Oct 7 11:10:51 2015 GMT Not After : Jan 5 00:00:00 2016 GMT Subject: C=US, ST=California, L=Mountain View, O=Google Inc, CN=mail.google.com Subject Public Key Info: Public Key Algorithm: rsaEncryption Public-Key: (2048 bit) Modulus: 00:96:db:37:d0:56:cf:f9:1d:76:74:eb:f3:b1:ed: many more bytes ... 01:db Exponent: 65537 (0x10001) X509v3 extensions: X509v3 Extended Key Usage: TLS Web Server Authentication, TLS Web Client Authentication X509v3 Subject Alternative Name: DNS:mail.google.com, DNS:inbox.google.com Authority Information Access: CA Issuers URI:http://pki.google.com/GIAG2.crt OCSP -URI:http://clients1.google.com/ocsp

X509v3 Subject Kev Identifier:

37:DB:18:BA:07:20:3C:DA:A6:B1:9F:C2:5C:4C:6C:85:7C:B2:6 B:E0

X509v3 Basic Constraints: critical CA:FALSE X509v3 Authority Key Identifier:

keyid:4A:DD:06:16:1B:BC:F6:68:B5:76:F5:81:B6:BB:62:1A:B A:5A:81:2F

> X509v3 Certificate Policies: Policy: 1.3.6.1.4.1.11129.2.5.1 Policy: 2.23.140.1.2.2

X509v3 CRL Distribution Points:

Full Name: URI:http://pki.google.com/GIAG2.crl

Signature Algorithm: sha256WithRSAEncryption

64:be:a0:00:54:57:c3:32:0f:c0:3e:63:19:e4:b4:96:56:8b:

ea:66:98:96:38:47:f5:85:cd:cf:da:25:19:a7:ba:5b:
...many more bytes...
8c:e8:ad:b9:21:67:ed:85:45:8a:a1:94:5d:04

Certificate C2:

Data: Version: 3 (0x2) Serial Number: 146051 (0x23a83) Signature Algorithm: sha256WithRSAEncryption Issuer: C=US, O=GeoTrust Inc., CN=GeoTrust Global CA Validity Not Before: Apr 5 15:15:56 2013 GMT Not After : Dec 31 23:59:59 2016 GMT Subject: C=US, O=Google Inc, CN=Google Internet Authority G2 Subject Public Key Info: Public Key Algorithm: rsaEncryption Public-Key: (2048 bit) Modulus:

00:9c:2a:04:77:5c:d8:50:91:3a:06:a3:82:e0:d8: ...many more bytes... 72:69

> Exponent: 65537 (0x10001) X509v3 extensions: X509v3 Authority Key Identifier:

keyid:C0:7A:98:68:8D:89:FB:AB:05:64:0C:11:7D:AA:7D:65:B 8:CA:CC:4E

X509v3 Subject Key Identifier:

4A:DD:06:16:1B:BC:F6:68:B5:76:F5:81:B6:BB:62:1A:BA:5A:8 1:2F

X509v3 Key Usage: critical Certificate Sign, CRL Sign Authority Information Access: OCSP - URI:http://g.symcd.com

X509v3 Basic Constraints: critical CA:TRUE, pathlen:0 X509v3 CRL Distribution Points:

Full Name:

URI:http://g.symcb.com/crls/gtglobal.crl

X509v3 Certificate Policies: Policy: 1.3.6.1.4.1.11129.2.5.1

Signature Algorithm: sha256WithRSAEncryption

aa:fa:a9:20:cd:6a:67:83:ed:5e:d4:7e:de:1d:c4:7f:
...many more bytes...
7e:c8:35:d8

Certificate C3:

Data: Version: 3 (0x2) Serial Number: 1227750 (0x12bbe6) Signature Algorithm: shalWithRSAEncryption Issuer: C=US, O=Equifax, OU=Equifax Secure Certificate Authority Validity Not Before: May 21 04:00:00 2002 GMT Not After : Aug 21 04:00:00 2018 GMT Subject: C=US, O=GeoTrust Inc., CN=GeoTrust Global CA

Subject Public Key Info: Public Key Algorithm: rsaEncryption Public-Key: (2048 bit) Modulus:

00:da:cc:18:63:30:fd:f4:17:23:1a:56:7e:5b:df: ...many more bytes... e4:f9

Exponent: 65537 (0x10001) X509v3 extensions: X509v3 Authority Key Identifier:

keyid:48:E6:68:F9:2B:D2:B2:95:D7:47:D8:23:20:10:4F:33:9 8:90:9F:D4

X509v3 Subject Key Identifier:

C0:7A:98:68:8D:89:FB:AB:05:64:0C:11:7D:AA:7D:65:B8:CA:C C:4E

X509v3 Basic Constraints: critical CA:TRUE X509v3 Key Usage: critical

Certificate Sign, CRL Sign X509v3 CRL Distribution Points:

Full Name:

URI:http://crl.geotrust.com/crls/secureca.crl

X509v3 Certificate Policies: Policy: X509v3 Any Policy CPS:

https://www.geotrust.com/resources/repository

Signature Algorithm: shalWithRSAEncryption

76:el:12:6e:4e:4b:16:12:86:30:06:b2:81:08:cf:f0: ...many more bytes... 3f:12