# NBE-E4050 - Signal Processing in Biomedical Engineering

### Exam 10.12.2018

For each question a maximum of 6 points can be earned (thus: 5 \* 6 = 30 points in total). Possible points you earned with the exercises will be added.

A calculator is not needed nor allowed. You may answer the questions in English or in Finnish.

#### 1.

- a) Explain what the difference is between *deterministic* and *stochastic* signals. (2p)
- b) The sampling (Shannon) theorem is a well-known concept. In practical situations however, we sometimes violate it. Give *two* reasons why this might happen. (2p)
- c) Of what two components does the *frequency response* of a filter exist? Explain what they represent (2p)

#### 2.

- a) Describe the different steps that are taken when we perform a Discrete Fourier Transform (DFT) to obtain the frequency contents of a signal. What are the effects in the time- and frequency domains in the different steps? (4p)
- b) Give 2 advantages and 2 disadvantages of using AR modelling vs Discrete Fourier Transform for frequency analysis. (2 p)

#### 3

- a) Wavelet analysis is a popular technique to describe (biomedical) signals. What can you say about the frequency resolution of a wavelet transform when compared to that of a Fourier transform? (2p)
- b) Describe how a median filter works, and give one positive and one less-positive property of this type of filter (2p).
- c) From a signal processing point of view, adaptive filters (like, e.g., the adaptive linear element) and artificial neural networks are related. Give one example of a property that they have in common, and one in which they differ. (2p)

## 4

- a) What is the difference between a signal that behaves randomly and one that behaves chaotically? Give one example of a random signal and one of a chaotic signal (2p)
- b) Segmentation is an important step in signal analysis. Describe one possible algorithm/method to carry out segmentation in which the segment size is not fixed but variable. (2p)
- c) Give one example of a complexity measure, and an example of a practical application of it. (2p)

5

a) In assessing the performance of a system we often use the terms like eg 'sensitivity' and 'positive prediction value'. Explain (either using formulas/example numbers, or words) what the two actually mean if we are talking about the performance of a system that is used to make a diagnosis classification like; "person has a disease" versus "person is healthy." (2p).

b) ROC curves can be used for different purposes - describe two of them. (2p)

c) k-fold cross validation can be used to assess the performance of eg a classifier - it uses different data for training and testing. However, its results are likely to be too positive compared to the performance that can be expected when using the data in 'real life' on new data. Provide one reason for this. (2p)

[END]